



## BEARING OF AMERICA CORP.



QVPL11V115SN Bearing 2D drawings and 3D CAD models

1.938 Inch | 49.225 Millimeter x 3.14 Inch |  
79.756 Millimeter x 2.25 Inch | 57.15 Millimeter  
QM INDUSTRIES QVPL11V115SN Pillow Block  
Bearings

Bearing No. QVPL11V115SN

|                           |   |
|---------------------------|---|
| Category                  | Pillow Block Bearings   |
| Inventory                 | 0.0   |
| Manufacturer Name         | TIMKEN  |
| Minimum Buy Quantity      | N/A   |
| Weight                    | 4.994   |
| EAN                       | 0883450095846   |
| Product Group             | M06288  |
| Number of Mounting Holes  | 2   |
| Mounting Method           | V Lock  |
| Housing Style             | 2 Bolt Pillow Block   |
| Rolling Element           | Spherical Roller Bearing  |
| Housing Material          | Cast Steel  |
| Expansion / Non-expansion | Non-expansion   |
| Mounting Bolts            | 5/8 Inch  |
| Relubricatable            | Yes   |
| Insert Part Number        | 22211   |
| Seals                     | Triple Lip Viton  |
| Housing Configuration     | 1 Piece Solid   |
| Inch - Metric             | Inch  |
| Other Features            | Double Row   Single Nut   |
| Long Description          | 2 Bolt Pillow Block;<br>1-15/16" Bore; 2-1/4" Base<br>to Center Height; V Lock<br>Mount; Spherical Roller<br>Bearing; 5.93" Minimum |



## BEARING OF AMERICA CORP.

|                               |   |
|-------------------------------|---|
|                               | Bolt Spacing; 6.36" Bolt Spacing Maximum; Relubricatable; Ca      |
| Category                      | Pillow Block  |
| UNSPSC                        | 31171511  |
| Harmonized Tariff Code        | 8483.20.40.80   |
| Noun                          | Bearing   |
| Keyword String                | Pillow Block  |
| Manufacturer URL              | <a href="http://www.qmbearings.com">http://www.qmbearings.com</a> |
| Weight / LBS                  | 11  |
| d                             | 1.938 Inch   49.225 Millimeter                                    |
| D                             | 3.14 Inch   79.756 Millimeter                                     |
| Bolt Spacing Minimum          | 5.93 Inch   150.622Millimeter                                     |
| Nominal Bolt Center to Center | 6.3 Inch   160 Millimeter   |
| Bolt Spacing Maximum          | 6.36 Inch   161.544Millimeter                                     |
| Actual Bolt Center to Center  | 0 Inch   0Millimeter  |
| B                             | 2.25 Inch   57.15 Millimeter                                      |